



CUMBERLAND VALLEY ANALYTICAL SERVICES

" Laboratory services for agriculture ... from the field to the feed bunk "

Farm: **NOVITA AURORA**
Desc: **NOVAMEAL BIWEEKLY COMP**
Account: **NOVITA NUTRITION, LLC**

Lab ID: **35218 047**
Sampled: **03/27/2024**
Arrived: **04/04/2024**
Completed: **04/10/2024**
Reported: **04/12/2024**

Rumen and Intestinal Digestibility Assay of Protein by Freeze Drying (Multi-Step Protein Evaluation)

DRY MATTER		% DM
Residue after oven drying		88
PROTEIN	% (as received)	% (dm basis)
Protein as nitrogen x 6.25 from Leco nitrogen combustion analysis	30.4	34.5
SOLUBLE PROTEIN	% CP	% DM
1 hour water solubility, filtered on 1.5 micron filter, as-received particle size	22.7	7.8
RUMEN DEGRADABLE PROTEIN	% CP	% DM
Total protein less rumen undegradable protein recovered by freeze drying	8.8	3
RUMEN UNDEGRADABLE PROTEIN	% CP	% DM
16 hour incubation in rumen fluid from high group TMR ration, as-received particle size, recovered by freeze drying	91.2	31.5
INTESTINAL DIGESTED PROTEIN	% CP	% DM
Protein that is rumen undegradable but digested in pepsin for 1 hour, then in trypsin, chymotrypsin, amylase, and lipase for 24 hours, as-received particle size	77.4	26.7
As percentage of Rumen Undegradable Protein	84.8%	
TOTAL TRACT DIGESTED PROTEIN	% CP	% DM
Total protein less intestinal undigested residue recovered by 1.5 micron filter	86.2	29.7
TOTAL TRACT UNDIGESTED PROTEIN	% CP	% DM
Intestinal undigested residue, recovered on 1.5 micron filter	13.8	4.8

Analysis performed by modified procedure of D. A. Ross and M. E. Van Amburgh. Rumen undegradable protein is determined on material recovered by freeze drying. Total tract undigested protein is based on material recovered on a 1.5 micron filter.



Cumberland Valley Analytical Services, Inc.



4999 Zane A. Miller Drive, Waynesboro, PA 17268
www.foragelab.com | mail@foragelab.com | 301-790-1980 | 800-CVAS-LAB



CUMBERLAND VALLEY ANALYTICAL SERVICES

"Laboratory services for agriculture ... from the field to the feed bunk"

Farm: **NOVITA AURORA**
Desc: **NOVAMEAL BIWEEKLY COMP**
Account: **NOVITA NUTRITION, LLC**

Lab ID: **35218 047**
Sampled: **03/27/2024**
Arrived: **04/04/2024**
Completed: **04/10/2024**
Reported: **04/10/2024**

NOVAMEAL BIWEEKLY COMP

SAMPLE INFORMATION

Lab ID: 35218 047 Series:
Crop Year: 2024 Version: 2.0
Cutting#:
Feed Type: MIXED GRAINS

CHEMISTRY ANALYSIS RESULTS

Moisture 12.0
Dry Matter 88.0

PROTEINS

	% SP	% CP	% DM
Crude Protein			34.5
Adjusted Protein			34.5
Soluble Protein	22.0		7.6
Ammonia (CPE)			
ADF Protein (ADICP)	5.6		1.94
NDF Protein (NDICP)	8.3		2.87
NDR Protein (NDRCP)			
Rumen Degr. Protein			

FIBER

	% NDF	% DM
ADF	39.5	14.0
aNDF		35.5
aNDFom		35.4
NDR (NDF w/o sulfite)		
Crude Fiber	25.2	8.9
Lignin	10.57	3.74
NDF Digestibility (12 hr)		
NDF Digestibility (24 hr)		
NDF Digestibility (30 hr)		
NDF Digestibility (72 hr)		
NDF Digestibility (240 hr)		
uNDF (30 hr)		
uNDF (240 hr)		

CARBOHYDRATES

	% Starch	% NFC	% DM
Silage Acids			
Ethanol Soluble CHO (ESC-Sugar)		28.9	6.8
Water Soluble CHO (WSC-Sugar)			
Starch		9.9	2.3
Soluble Starch			
Soluble Fiber			
Starch Digestibility (7 hr)			
Crude Fat			3.07
Fatty Acids, Total (%DM)			
Acid Hydrolysis Fat			

MINERALS

Ash (%DM)	6.44
Calcium (%DM)	0.09
Phosphorus (%DM)	1.02
Magnesium (%DM)	0.41
Potassium (%DM)	1.33
Sulfur (%DM)	0.61
Sodium (%DM)	0.16
Chloride (%DM)	0.21
Iron (PPM)	107.00
Manganese (PPM)	21.00
Zinc (PPM)	72.00
Copper (PPM)	4.00
Molybdenum (PPM)	

FERMENTATION

pH
Total VFA
Lactic Acid (%DM)
Lactic as % of Total VFA
Acetic Acid (%DM)
Propionic Acid (%DM)
Butyric Acid (%DM)
Isobutyric Acid (%DM)
1, 2 Propanediol (%DM)
Nitrate Ion (%DM)
Nitrate-Nitrogen, ppm

ENERGY & INDEX CALCULATIONS

TDN (%DM)	69.4
Net Energy Lactation (Mcal/lb)	0.72
Adjusted Net Energy Lactation (Mcal/lb)	
Net Energy Maintenance (Mcal/lb)	0.78
Net Energy Gain (Mcal/lb)	0.50
ME (Mcal/lb)	1.2
NDF Dig. Rate (Kd, %HR, Van Amburgh, Lignin*2.4)	
NDF Dig. Rate (Kd, %HR, Van Amburgh, iNDF)	
Relative Feed Value (RFV)	
Relative Forage Quality (RFQ)	
Milk per Ton (lbs/ton)	
Dig. Organic Matter Index (lbs/ton)	
ROM (Residual Organic Matter)	
NFC (Non-Fiber Carbohydrates)(%DM)	23.5
NSC (Non-Structural Carbohydrates) ESC (%DM)	9.1
DCAD (meq/100gdm)	-2.6

Additional sample information, submitted documents and lab pictures linked to QR code



Cumberland Valley Analytical Services, Inc.



4999 Zane A. Miller Drive, Waynesboro, PA 17268
www.foragelab.com | mail@foragelab.com | 301-790-1980 | 800-CVAS-LAB



CUMBERLAND VALLEY ANALYTICAL SERVICES

"Laboratory services for agriculture ... from the field to the feed bunk"

Farm: **NOVITA AURORA**
Desc: **QUARTERLY END CENTER 5.1 DML 4/10/2**
Account: **NOVITA NUTRITION, LLC**

Lab ID: **33661 021**
Sampled: **04/24/2023**
Arrived: **05/01/2023**
Completed: **05/11/2023**
Reported: **07/06/2023**

Report of Amino Acid Analysis

Feed Type: **MIXED GRAINS**
Dry Matter: **87.8 %**

	W/W % As - Received	W/W % Dry Matter Basis
Cysteine	0.60	0.69
Methionine	0.58	0.66
Lysine	0.90	1.03
Alanine	2.21	2.52
Aspartic Acid	2.08	2.37
Glutamic Acid	5.76	6.56
Glycine	1.26	1.43
Isoleucine	1.18	1.34
Leucine	3.69	4.21
Proline	2.68	3.06
Threonine	1.14	1.30
Valine	1.60	1.83
Arginine	1.31	1.50
Histidine	0.75	0.86
Hydroxylysine	0.00	0.00
Hydroxyproline	0.00	0.00
*Lanthionine	0.00	0.00
*Ornithine	0.12	0.13
Phenylalanine	1.51	1.71
Serine	1.53	1.75
*Taurine	0.14	0.16
Tyrosine	1.24	1.41
Tryptophan	0.26	0.30
Total	30.6	34.8
Crude protein (Nitrogen% x 6.25)	30.0	34.2
AA nitrogen as % of total nitrogen:	82.2	

w/w % - grams per 100 grams of sample. Crude Protein is determined by combustion analysis and reported as N% x 6.25.
*Taurine, Lanthionine, and Ornithine are non-proteinogenic amino acids. For more information go to www.foragelab.com under Lab Services / Forage and Feed / Amino Acids.

Methods: Acid Hydrolysis - Modification of Gehrke, et. Al., 1985. (JAOAC 68:811-821) Performic acid preoxidation for sulfur amino acids - Modification of Mason et al., 1980 (Z Tierphysio, Tierernahrg u Futtermittelkde 43: 143-146; Elkin and Griffith, 1985 (JAOAC 68:1117-1121). Alkaline hydrolysis: J. Landry and S. Delhaye. 1992. Simplified procedure for the determination of tryptophan of foods and feedstuffs from barytic hydrolysis. J Agr Food Chem 40:776-779.
HPLC methods: Post-column with Ninhydrin Derivatization AOAC: 994.12



Cumberland Valley Analytical Services, Inc.



4999 Zane A. Miller Drive, Waynesboro, PA 17268
www.foragelab.com | mail@foragelab.com | 301-790-1980 | 800-CVAS-LAB